

PRODUCT-DETAILS

8217 U-101-500

8217 U-101-500 Inserts



General Information

| | |
|-----------------------|------------------------|
| Extended Product Type | 8217 U-101-500 |
| Product ID | 2CKA008200A0279 |
| EAN | 4011395304969 |
| Catalog Description | 8217 U-101-500 Inserts |

Long Description

DAB+ and RDS stereo radio alarm clock for flush-mounted installation. With high-resolution colour display for showing additional information. With Bluetooth interface for music replay of mobile devices. Connection of external Bluetooth loudspeakers possible. Reception frequency: 87.50 MHz - 108.00 MHz. Receive frequency (DAB+): 174 MHz - 240 MHz. With external AUX input/output, reversible. For mono/stereo operation. 8 radio stations storable. With time and date display. With individual alarm and snooze function. With automatic switch-off function (automatic sleep mode). With extension input to remote-controlled ON/OFF switches. With integrated antenna. With additional connection for external antenna. Permitted speaker impedance: 4 - 8 Ohm Can be installed as 1gang and in multiple combinations. Bluetooth specification: 4.2. Bluetooth profiles supported: A2DP Number of stored Bluetooth connections: max. 8

Technical

| | |
|-------------------------|--|
| Suitable For | 2CKA008200A0183 2CKA008200A0013 2CKA008200A0109 2CKA008200A0200 2CKA008200A0201 2CKA008200A0202 |
| Auxiliary Voltage AC/DC | 230 V AC/DC |
| Rated Frequency (f) | 50...60 Hz |
| Power Loss | 0.4 W |
| Number of Gangs | 1 |

| | |
|--|--|
| Product Range | Multimedia |
| Action Type of the Contact Element (acc. to IEC 60947-5-1) | Modular device for domestic switching devices |
| Mounting Type | Flush Mounted |
| Type of Fastening | Mounting with Screw |
| Surface Finishing | Surface protection: Untreated Surface finishing: Glossy |
| Material | Thermoplastic |
| Model Number | Radio |
| RAL Number | RAL 9005 - Jet Black |
| Color | black |
| Battery Weight | 0 g |

Environmental

| | |
|-------------------------|--|
| Ambient Air Temperature | Operation 5 ... +40 °C |
| Degree of Protection | IP20 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

Dimensions

| | |
|----------------------------------|---------|
| Product Net Width | 92 mm |
| Product Net Height | 58 mm |
| Product Net Depth / Length | 78 mm |
| Product Net Weight | 117.3 g |
| Built-In Depth (t ₂) | 32 mm |

Container Information

| | |
|--------------------------------|-----------------|
| Package Level 1 Units | carton 1 piece |
| Package Level 1 Width | 92 mm |
| Package Level 1 Height | 58 mm |
| Package Level 1 Depth / Length | 78 mm |
| Package Level 1 Gross Weight | 0.146 kg |
| Package Level 1 EAN | 4011395304969 |
| Package Level 2 Units | carton 10 piece |
| Package Level 2 Width | 168 mm |
| Package Level 2 Height | 112 mm |
| Package Level 2 Depth / Length | 298 mm |
| Package Level 2 Gross Weight | 1.585 kg |
| Package Level 3 Units | 1620 piece |
| Package Level 3 Width | 0.8 m |
| Package Level 3 Height | 1.158 m |
| Package Level 3 Depth / Length | 1.2 m |
| Package Level 3 Gross Weight | 276.77 kg |

Ordering

| | |
|------------------------|------------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85269200 |
| E-Number (Sweden) | 6222545 |
| Country of Origin | China (CN) |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|--------------------|
| Declaration of Conformity - CE | 2CKA100000E4242 |
| Instructions and Manuals | No document needed |
| REACH Declaration | 2CKA309999E9999 |
| RoHS Information | 2CKA200000E7215 |

Popular Downloads

| | |
|--------------------------------------|--------------------|
| Data Sheet, Technical Information | No document needed |
| Instructions and Manuals | No document needed |

Classifications

| | |
|--------|---|
| ETIM 7 | EC000636 - Electronic insert for domestic switching devices |
| ETIM 8 | EC000636 - Electronic insert for domestic switching devices |
| CN8 | 8526 92 00 |
| eClass | V11.0 : 27144018 |

Categories

Low Voltage Products and Systems → Switch Assortments → Inserts → Audio / Multimedia

