

ALPHA 160 DIN, Mounting kit for modular installation devices, Clearance between rows 150 mm, H=150 W=500



Model	
product brand name	ALPHA 160
product designation	Assembly kit for modular installation devices
design of the product	tier spacing 150 mm
cover plate version	with cutout
product component	
• grounding bus	No
• plastic cover plate	Yes
• mounting plate	No
number of DIN mounting bars	2
Mechanical Design	
height	150 mm
width	500 mm
number of modular width units per DIN mounting bar	12
net weight	845 g

General Product Approval	Declaration of Conformity
Confirmation 	Miscellaneous   

Test Certificates	other	Environment
Type Test Certificates/Test Report	Miscellaneous	Special Test Certificate
	Confirmation	Miscellaneous
		Environmental Conformations

Further information

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.
 Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK4351-1KK21>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK4351-1KK21>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4351-1KK21

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/9/2022 

