



ALPHA 160 DIN, Mounting kit for modular installation devices, Clearance between rows 150 mm, H=450 W=500

Model	
product brand name	ALPHA 160
product designation	Assembly kit for modular installation devices
design of the product	tier spacing 150 mm
cover plate version	with cutout
product component	
• grounding bus	No
• plastic cover plate	Yes
• mounting plate	No
number of DIN mounting bars	6
Mechanical Design	
height	450 mm
width	500 mm
number of modular width units per DIN mounting bar	12
net weight	1 382 g

General Product Approval	Declaration of Conformity
Confirmation Miscellaneous	   

Test Certificates	other	Environment
Miscellaneous Type Test Certificates/Test Report Special Test Certificate	Confirmation	Environmental Confirmations

Further information

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>
 Siemens is working on the renewal of the current EAC certificates.
 Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).
Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK4351-3KK21>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/8GK4351-3KK21>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4351-3KK21

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/9/2022 

