


accessories circuit breaker 3WL position signal switch f. guide frame, 1st block 3 micro-switches



Model			
product brand name	SETRON		
product designation	Position signaling switch		
design of the product	Accessories		
General technical data			
degree of pollution	3		
Voltage			
insulation voltage (Ui)			
• at AC rated value	250 V		
• at DC rated value	250 V		
surge voltage resistance rated value	4 kV		
Supply voltage			
operating voltage			
• at AC at 50 Hz rated value maximum	240 V		
• at DC rated value maximum	250 V		
Short circuit			
design of the DIAZED fuse link gG for short-circuit protection maximum permissible	8 A TDz (slow)		
design of the miniature circuit breaker for short-circuit protection with tripping characteristic class C maximum permissible	8 A TDz (slow)		
General Product Approval	Declaration of Conformity	Test Certificates	other

[Confirmation](#)



[Miscellaneous](#)

[Miscellaneous](#)

other	Environment
Confirmation	Environmental Confirmations

Further information

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WL9111-0AH11-0AA0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3WL9111-0AH11-0AA0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WL9111-0AH11-0AA0

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

8/8/2023 

