



Accessory for 3KC3, 3KC6 Auxiliary conductor terminal 1-pole for 40-160 A contains 2 units

Model	
product brand name	SENTRON
product designation	Accessories for transfer switching equipment
design of the product	control wire tap
suitability for use	for 3KC3, 3KC6
product description	Auxiliary conductor terminal for 2x max. 1.5 mm ² cable, 2 units

Connections	
type of connectable conductor cross-sections for AWG cables for main contacts	20 to 14
type of connectable conductor cross-sections for main contacts	
• solid	0.5 to 2.5 mm ²
• stranded	0.5 to 1.5 mm ²
type of electrical connection for main current circuit	box terminal

Mechanical Design	
height	14.05 mm
width	47.6 mm
depth	16.4 mm
net weight	20 g

Approvals Certificates	
General Product Approval	Test Certificates



[Confirmation](#)

[Miscellaneous](#)



[Type Test Certificates/Test Report](#)

other	Environment
<p>Confirmation</p> <p>Miscellaneous</p>	<p>Environmental Confirmations</p>

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
 Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
 Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KC9622-2>
 Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3KC9622-2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=3KC9622-2

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/20/2022 

