




wyposażenie do 3KC4, 3KC8 Mostek połączeniowy do łączenia po stronie obciążenia 1-biegunowy do 1250A zawiera 1 szt. plus 2 śrub i 2 nakrętki oraz 4 podkładek

| Wersja                                                          |                                                                        |
|-----------------------------------------------------------------|------------------------------------------------------------------------|
| Nazwa markowa produktu                                          | SETRON                                                                 |
| oznaczenie produktu                                             | Wyposażenie do przełącznika sieciowego                                 |
| wykonanie produktu                                              | mostek połączeniowy                                                    |
| możliwość zastosowania                                          | do 3KC4, 3KC8, 1250 A                                                  |
| opis produktu                                                   | Mostek połączeniowy do łączenia po stronie obciążenia, 1-bieg., 1 szt. |
| Połączenia                                                      |                                                                        |
| wykonanie przyłącza elektrycznego dla głównego obwodu prądowego | Przyłącze płaskie                                                      |
| Konstrukcja mechaniczna                                         |                                                                        |
| wysokość                                                        | 81,2 mm                                                                |
| szerokość                                                       | 60 mm                                                                  |
| głębokość                                                       | 182 mm                                                                 |
| masa netto                                                      | 1 461 g                                                                |
| Zezwolenia Certyfikaty                                          |                                                                        |
| General Product Approval                                        |                                                                        |

Test Certificates

[Confirmation](#)



[Miscellaneous](#)



[Type Test Certificates/Test Report](#)

other

[Miscellaneous](#)

[Confirmation](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KC9818-6>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/3KC9818-6>


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3KC9818-6](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KC9818-6)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications



Ostatnia zmiana:

25.06.2022 

