

ALPHA copper busbar 320 A 20 x 5 mm, 320 A, W = 250



Model	
product brand name	ALPHA
product designation	CU busbar
design of the product	20x5 mm, 320 A, W=250
busbar design	others

General technical data	
surface processing tin-plated	No

Main circuit	
operational current rated value	320 A

Product details	
product feature flexible	No

Mechanical Design	
width	20 mm
length	241 mm
thickness of busbar	5 mm
material of the busbar	Cu

Approvals Certificates	
General Product Approval	



[Confirmation](#)



[Miscellaneous](#)



Test Certificates	other	Environment
-------------------	-------	-------------

[Type Test Certificates/Test Report](#)

[Special Test Certificate](#)

[Confirmation](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9733-0KK10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK9733-0KK10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9733-0KK10



last modified:

7/6/2021 

