

# Spesifikasjoner



## Eaton 193214

Eaton xEnergy Basic Floor standing distribution board, IP55,  
HxWxD=2060x800x400mm

### General specifications

<b>PRODUCT NAME</b>	Eaton xEnergy Basic empty enclosure
<b>CATALOG NUMBER</b>	193214
<b>EL NUMBER</b>	2456502
<b>EAN</b>	9010238008663
<b>PRODUCT LENGTH/DEPTH</b>	400 mm
<b>PRODUCT HEIGHT</b>	2060 mm
<b>PRODUCT WIDTH</b>	800 mm
<b>PRODUCT WEIGHT</b>	76 kg
<b>COMPLIANCES</b>	RoHS conform
<b>MODEL CODE</b>	BPM-F-800/20/4-P



### Delivery program

<b>TYPE</b>	Basic device
<b>COLOR</b>	Gray

### Technical data - mechanical

<b>SURFACE FINISHING</b>	Powder coating
<b>MOUNTING METHOD</b>	Floor standing distribution board Wall fastening Detached

<b>MATERIAL</b>	Steel Sheet steel
<b>MATERIAL QUALITY</b>	Other
<b>NUMBER OF CONNECTOR HOLES</b>	0
<b>NUMBER OF COVERS/DOORS</b>	1
<b>NUMBER OF LOCKS</b>	0
<b>PERMISSIBLE LOAD OF THE DOOR(S) ACCORDING TO IEC 62208 - MAX</b>	0 N
<b>PERMISSIBLE LOAD OF THE ENCLOSURE ACCORDING TO IEC 62208 - MAX</b>	0 N
<b>PERMISSIBLE LOAD OF THE MOUNTING PLATE ACCORDING TO IEC 62208 - MAX</b>	0 N
<b>GRADE MATERIAL</b>	Sheet steel
<b>INSTALLATION TYPE</b>	Floor installation possible

### Temperature-rise verification as per IEC 60890

**THERMAL DISSIPATION (DELTA T = 20 K) ACCORDING TO IEC/TR 60890** 0 W

### Additional information

<b>FEATURES</b>	EMC-version Connectable Mounting plate depth-adjustable
<b>FITTED WITH:</b>	Door
<b>FUNCTIONS</b>	Basic device
<b>RAL-NUMBER</b>	7035
<b>SUITABLE FOR</b>	Metrical mounting

### Ressurser

<b>BROSJYRER</b>	<a href="#">eaton-xenergy-basic-light-brochure-br014024-en-us.pdf</a>
<b>KATALOGER</b>	<a href="#">eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf</a>
	<a href="#">eaton-cadenas-path-xenergy_basic_bp-assemblies-bpm_f_800_20_4_p_asmtpl.prj</a>
	<a href="#">bpm_f_800_20_4_p.dwg</a>
<b>MCAD MODEL</b>	<a href="#">eaton-cadenas-side_view-bpm_f_800_20_4_p_side.pra</a>
	<a href="#">eaton-cadenas-front_view-bpm_f_800_20_4_p_front.pra</a>
	<a href="#">bpm_f_800_20_4_p.stp</a>
<b>SALGMERKNADER</b>	<a href="#">eaton-f3a-flange-flyer-fl019005en-en-us.pdf</a>

---

**TEGNINGER**

[eaton-low-voltage-switch-gear-  
dimensions-1230dim-439.eps](#)

---

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATO:**

---



**Eaton Corporation plc**

Eaton House  
30 Pembroke Road  
Dublin 4, Irland  
Eaton.com

© 2025 Eaton. Med enerett.

Eaton er et registrert varemerke.

Alle andre varemerker tilhører sine  
respektive eiere.

Follow us on social media to get the latest  
product and support information.

