

Door-coupling rotary operating mechanism standard with tolerance compensation
 Size 100x 100, Shaft 12x 12, 300 mm, Test-0-I, Complete unit Handle 200 mm
 Accessory for 3KD size 5, 3KF size 5



| Model | |
|--|--------------------------------------|
| product brand name | SETRON |
| product designation | Door mounted rotary operator |
| design of the product | standard with tolerance compensation |
| design of handle | Gray |
| design of the door lock system | Door interlocking |
| size of cross-section of the shaft of door-coupling rotary operating mechanism | 12x12 mm |
| size format of the masking frame of door-coupling rotary operating mechanism | 100x 100 mm |
| length of handle | 200 mm |
| length of shaft of door-coupling rotary operating mechanism | 300 mm |
| protection class IP | IP65 |
| suitability for use | for 3KD size 5, 3KF size 5 |

| Product details | |
|---|--------------------------------|
| product description | size 100x100 mm, shaft 8 x8 mm |
| product component | |
| • extension shaft | Yes |
| • handle for emergency-OFF function | No |
| product feature lockable | Yes |
| display version for switch position indicator | test-0-I |

| Mechanical Design | |
|-------------------|--------|
| height | 144 mm |
| width | 98 mm |
| depth | 450 mm |
| net weight | 997 g |

| | | |
|--------------------------|---------------------------|-------------------|
| General Product Approval | Declaration of Conformity | Marine / Shipping |
|--------------------------|---------------------------|-------------------|



| | |
|-------|-------------|
| other | Environment |
|-------|-------------|

[Confirmation](#)

[Miscellaneous](#)

[Environmental Con-
firmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1161-4AF21>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8UD1161-4AF21>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1161-4AF21

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/29/2022 

