



Heater 110-120 V, 50W; UL-APP. HG 04004.9-00

Model		
product brand name	SIVACON	
product designation	heater unit	
design of the product	Semiconductor	
General technical data		
consumed active power rated value	50 W	
Voltage		
type of voltage of the operating voltage	AC/DC	
continuous heating power at 20 °C	50 W	
operating voltage		
• rated value minimum	120 V	
• rated value maximum	120 V	
• at AC at 50 Hz rated value minimum	110 V	
• at AC at 50 Hz rated value maximum	120 V	
• at AC at 60 Hz rated value minimum	110 V	
• at AC at 60 Hz rated value maximum	120 V	
• at DC rated value minimum	110 V	
• at DC rated value maximum	120 V	
Protection class		
protection class IP	IP44	
Product details		
product component		
• blower	No	
• thermostat	No	
Mechanical Design		
height	140 mm	
width	70 mm	
depth	60 mm	
Certificates		
reference code according to EN 61346-2	R	
General Product Approval	Declaration of Conformity	other

[Confirmation](#)



[Miscellaneous](#)

other

[Confirmation](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MR2110-4D>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8MR2110-4D>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MR2110-4D

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

12/20/2020 

