


busbar support 3,200 A 1 set = 2 units



Model	
product brand name	SIVACON S4
product designation	Main busbar support
design of the product	holder 3200 A
General technical data	
number of poles	4
Main circuit	
operational current rated value maximum	3 410 A
type of connectable conductor cross-sections for copper conductor stranded	20x10, 30x10, 40x10, 50x10
Mechanical Design	
height	180 mm
width	320 mm
depth	30 mm
busbar center-to-center spacing	80 mm
net weight	2 470 g

Approvals Certificates

General Product Approval

[Miscellaneous](#)



EG-Konf.

[Confirmation](#)



VDE

[Miscellaneous](#)

General Product Approval	other	Environment
--------------------------	-------	-------------



[Confirmation](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ4000-0BA04>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8PQ4000-0BA04>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ4000-0BA04

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

1/18/2024 

