


Terminal, spring-loaded terminal, 3 clamping points, isolating blade terminal, 2.5 mm², gray



Model	
product brand name	ALPHA
type of longitudinal separation	others
type of lateral separation	without
General technical data	
insulation material	others
terminal contact spacing	5.2 mm
operating voltage rated value	400 V
Protection class	
combustibility class according to UL 94	V0
Main circuit	
operational current rated value	20 A
Appearance	
color	grey
Product details	
product component	
• test socket	No
Number	
number of terminal levels	1
number of terminal points per terminal level	3
Connections	
connectable conductor cross-section solid	
• minimum	0.08 mm ²
• maximum	4 mm ²
connectable conductor cross-section finely stranded	
• with core end processing minimum	0.14 mm ²
• with core end processing maximum	2.5 mm ²
• without core end processing minimum	0.08 mm ²
• without core end processing maximum	2.5 mm ²
type of connection 1	spring-loaded terminal
position of the terminal	top
Mechanical Design	
height with lowest-profile installation	72.23 mm
depth	36.5 mm
length	72 mm
fastening method	TH35 DIN rail
material of the insulating body	Other
Environmental conditions	
ambient temperature during operation	
• minimum	-60 °C

• maximum

-105 °C

Approvals Certificates

General Product Approval

other



[Confirmation](#)



[Confirmation](#)

other

Environment

[Miscellaneous](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mifb=8WH2003-6CF00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8WH2003-6CF00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mifb=8WH2003-6CF00

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

2/8/2023

