

system szyn zbiorczych, akcesoria Odległość środków szyn 40mm wspornik szyn zbiorczych 3-biegunowy 12x 5, 2x12x 5, 15x 5, 2x15x 5 jako uchwyt końcowy i pośredni z wkładkami do grubości szyny 5mm i z osłonami końcowymi



Figure similar

| Wersja                                                                                         |                              |                   |
|------------------------------------------------------------------------------------------------|------------------------------|-------------------|
| Nazwa markowa produktu                                                                         | SETRON                       |                   |
| oznaczenie produktu                                                                            | Uchwyt szyny zbiorczej       |                   |
| napięcie robocze przy AC wartość znamionowa                                                    | 690 V                        |                   |
| rodzaj przekrojów poprzecznych możliwych do podłączenia przewodów dla przewodów Cu wielożyłowy | 12 mm x 5 mm – 15 mm x 10 mm |                   |
| Konstrukcja mechaniczna                                                                        |                              |                   |
| odstęp między środkami szyn                                                                    | 40 mm                        |                   |
| Zezwolenia Certyfikaty                                                                         |                              |                   |
| General Product Approval                                                                       | Test Certificates            | Marine / Shipping |



[Confirmation](#)



[Miscellaneous](#)



| Marine / Shipping                                                                   | other                         | Environment                  |                                             |
|-------------------------------------------------------------------------------------|-------------------------------|------------------------------|---------------------------------------------|
|  | <a href="#">Miscellaneous</a> | <a href="#">Confirmation</a> | <a href="#">Environmental Confirmations</a> |

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1903-3AB00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8US1903-3AB00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8US1903-3AB00](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1903-3AB00)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



Ostatnia zmiana:

28.09.2021 

