

PRODUCT-DETAILS

# KPR3-100G

## KPR3-100G Reset push button



### General Information

Extended Product Type	KPR3-100G
Product ID	1SFA616162R1002
EAN	7320500548110
Catalog Description	KPR3-100G Reset push button

Long Description	<p>The KPR3-100G Reset push button is: With shaft - Momentary - Flush - Green - Non-illuminated - Black Plastic - RUECKSTELLTASTE KPR3-100G FLACH MIT STOESSEL GRUEN</p> <p>This Reset push button is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.</p>
------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	8536501999

### Popular Downloads

Data Sheet, Technical Information	1SFC151007C02__
Instructions and Manuals	1SFC151011M0201

---

**Dimensions**


---

Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth / Length	0.215 m
Product Net Weight	0.021 kg

---



---

**Technical**


---

Ambient Air Temperature	Operation -25 ... +70 °C Storage -40 ... +85 °C
Color	Green
Actuator Type	Flush
Bezel Material	Black Plastic
Illumination	Non-illuminated
Function	Momentary
Sub-Function	With shaft
Degree of Protection	Front IP66
Enclosure Type NEMA	Type1 Type12 Type13 Type3R Type4 Type4X
Mechanical Durability	2 million

---



---

**Environmental**


---

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	0626 5
RoHS Information	2CMT2015-005453
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Business

---



---

**Certificates and Declarations (Document Number)**


---

cULus Certificate	9AKK107046A9924
Declaration of Conformity - CE	2CMT2015-005453
Environmental Information	1SFC151001D0201
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005453

---



---

**Container Information**


---

Package Level 1 Units	bag 1 piece
Package Level 1 Width	0.135 m
Package Level 1 Depth / Length	0.145 m
Package Level 1 Height	0.032 m
Package Level 1 Gross Weight	0.024 kg
Package Level 1 EAN	7320500248935

---

---

## Classifications

---

Object Classification Code	S
ETIM 6	EC000221 - Front element for push button
ETIM 7	EC000221 - Front element for push button
ETIM 8	EC000221 - Front element for push button
eClass	V11.0 : 27371210
UNSPSC	39121500
E-Number (Finland)	2338487

---

---

## Categories

---

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range

