



time counter, mechanical, 230V, 50Hz

Model	
product brand name	SENTRON
product designation	Mechanical time counter
type of the driving mechanism	others
General technical data	
electrical input frequency	
• minimum	50 Hz
• maximum	50 Hz
principle of operation of the operating hours counter	analog
reset function	no
type of voltage of the operating voltage	AC
input voltage	230 V
Protection class	
protection class IP	IP20
Number	
number of characters that can be displayed	7
Mechanical Design	
height	90 mm
height of the front plate	45 mm
width	36 mm
width of the front plate	36 mm
installation depth	64 mm
number of modular width units	2
fastening method	DIN rail
net weight	93 g
Approvals Certificates	
General Product Approval	other



[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

Further information

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KT5804>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7KT5804>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KT5804

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

11/12/2021 

