

marshalling box safety class 1, IP55 h=500, w=800, d=400 screwed front plate without stays



Model	
product brand name	ALPHA
product designation	Marshalling box
design of the product	Surface mounting
surface processing	powder-coated

Protection class	
protection class IP	IP55
operating resource protection class	Safety class 1
IK protection class	IK09
suitability for use for outside use	No

Appearance	
RAL color number	7035
product component	
• cable entry	No
• mounting plate	No
product extension optional side-by-side mounting	Yes

Mechanical Design	
height	500 mm
width	800 mm
depth	400 mm
installation depth	400 mm
fastening method	Aufputz
material of the enclosure	Steel

Approvals Certificates		
General Product Approval	Test Certificates	other



[Confirmation](#)



[Special Test Certificate](#)

[Confirmation](#)

other	Environment
-------	-------------

[Miscellaneous](#)

[Environmental Confirmations](#)

### Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK1383-1KK35>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK1383-1KK35>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK1383-1KK35](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK1383-1KK35)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



---

last modified:

8/29/2023 

