

PRODUCT-DETAILS

MBA192T

MBA192T Main circuit breaker Tmax 450 mm x 250 mm x 215 mm , 00 , 1



General Information

| | |
|-----------------------|--|
| Extended Product Type | MBA192T |
| Product ID | 2CPX041646R9999 |
| EAN | 4011617416463 |
| Catalog Description | MBA192T Main circuit breaker Tmax 450 mm x 250 mm x 215 mm , 00 , 1 |
| Long Description | Interior fitting module, CombiLine, Modular distribution panel not assembled, for Main circuit breaker Tmax, Grid unit 3 GU = 450 mm, panel width 1 = 250 mm, 36 Space units, , usable width of 140 mm, unequipped for the installation of 1 MCCB T4, T5 / XT4, XT5, for busbar system 4-pole, rated current maximum 400 A, covers out of Plastic, 90 degree press and turn closure, RAL 7035, Design of the cover: with cut-out, usable as of the cabinet depth of 215 mm |

Technical

| | |
|---|----------------------------------|
| Standards | DIN EN 61439-3 DIN EN 61439-2 |
| Rated Operational Voltage | Maximum 400 V |
| Operational Voltage | 400 V |
| Rated Current (I _n) | 400 A |
| Rated Operational Current (I _e) | 400 A |
| Number of Poles | 4 |
| Number of Switches | 0 |
| Number of Mountable Devices | 1 |
| Enclosure Module | Excludes Devices |

Equipment

| | |
|--------------------------|---------------------------|
| Enclosure Mounting Frame | WR or EDF |
| Device | T4, T5 / XT4, XT5 |
| Enclosure Type | Interior fitting module |
| Enclosure Type of Height | 00 |
| DIN Place Units | 36 |
| Meter Boards | 0 |
| Module Function | Main circuit breaker Tmax |
| Color | Light grey |
| Thickness | " |

Environmental

| | |
|-------------|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
|-------------|--|

Dimensions

| | |
|----------------------------------|---------|
| Product Net Width | 250 mm |
| Product Net Height | 450 mm |
| Product Net Depth / Length | 215 mm |
| Product Net Weight | 2.14 kg |
| Built-In Depth (t ₂) | 215 mm |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | pack 1 piece |
| Package Level 1 Width | 255 mm |
| Package Level 1 Height | 51 mm |
| Package Level 1 Depth / Length | 450 mm |
| Package Level 1 Gross Weight | 2.14 kg |
| Package Level 1 EAN | 4011617416463 |

Ordering

| | |
|------------------------|--------------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85381000 |
| Country of Origin | Germany (DE) |

Certificates and Declarations (Document Number)

| | |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 9AKK107992A4846 |
| Instructions and Manuals | 2CPC112311M5601 |
| REACH Declaration | 2CPC100005X0201 |
| RoHS Information | 9AKK107992A4846 |

Popular Downloads

| | |
|-----------------------------------|------------------------------------|
| Data Sheet, Technical Information | 2CPC000001C0101 2CPC000002C0101 |
|-----------------------------------|------------------------------------|

Classifications

| | |
|----------------------------|---|
| ETIM 7 | EC001897 - Distributor assembly switch |
| ETIM 8 | EC001897 - Distributor assembly switch |
| EPLAN Catalog Tree | Mechanics / Housing accessories, internal extension / General |
| WEEE Category | Product Not in WEEE Scope |
| CN8 | 85381000 |
| eClass | V11.0 : 27400611 |
| Object Classification Code | U |

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Interior Fittings → CombiLine N - Plastic Cover - Flatpack → Switch Unequipped

