


PRODUCT-DETAILS

MBD252

MBD252 Busbar system 100 mm NH00-disconnector 450 mm x 500 mm x 131 mm , 00 , 2



General Information

| | |
|-----------------------|---|
| Extended Product Type | MBD252 |
| Product ID | 2CPX042117R9999 |
| EAN | 4011617421177 |
| Catalog Description | MBD252 Busbar system 100 mm NH00-disconnector 450 mm x 500 mm x 131 mm , 00 , 2 |
| Long Description | Interior fitting module, CombiLine, Modular distribution panel not assembled, for Busbar system 100 mm NH00-disconnector, Grid unit 3 GU = 450 mm, panel width 2 = 500 mm, 72 Space units, , usable width of 400 mm, unequipped for the installation of 8 NH-fuse disconnector NH00, for busbar system 3-pole, Busbar alignment: horizontal, with busbar holders ZX520, Busbar center distance: 100 mm, for maximum 3 Cu busbars, (busbars must be ordered separately), rated current maximum 850 A, covers out of Plastic, 90 degree press and turn closure, RAL 7035, Design of the cover: Closed, usable as of the cabinet depth of 215 mm |

Technical

| | |
|------------------------------------|----------------------------------|
| Standards | DIN EN 61439-3 DIN EN 61439-2 |
| Rated Operational Voltage | Maximum 400 V |
| Operational Voltage | 400 V |
| Rated Current (I_n) | 850 A |
| Number of Poles | 3 |
| Number of Knife Blade Fuse Holders | 0 |
| Number of Mountable Devices | 8 |

| | |
|----------------------------|--|
| Enclosure Module Equipment | Excludes Devices |
| Enclosure Mounting Frame | WR or EDF |
| Device | NH00 |
| Enclosure Type | Interior fitting module |
| Enclosure Type of Height | 00 |
| Mounting Type | Rail system |
| DIN Place Units | 72 |
| Module Function | Busbar system 100 mm NH00-disconnector |
| Color | Light grey |
| Fuse Size | Other |
| Thickness | " |

Environmental

| | |
|-------------|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| SCIP | b178f49b-e7c1-435c-813e-dad4ccb01335 Germany (DE) |

Dimensions

| | |
|----------------------------------|----------|
| Product Net Width | 500 mm |
| Product Net Height | 450 mm |
| Product Net Depth / Length | 131 mm |
| Product Net Weight | 2.114 kg |
| Built-In Depth (t ₂) | 215 mm |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | pack 1 piece |
| Package Level 1 Width | 255 mm |
| Package Level 1 Height | 51 mm |
| Package Level 1 Depth / Length | 600 mm |
| Package Level 1 Gross Weight | 2.199 kg |
| Package Level 1 EAN | 4011617421177 |

Ordering

| | |
|------------------------|--------------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85381000 |
| Country of Origin | Germany (DE) |

Certificates and Declarations (Document Number)

| | |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 9AKK107992A4846 |
| Instructions and Manuals | 2CPC129993M5601 |
| REACH Declaration | 2CPC100005X0201 |
| RoHS Information | 9AKK107992A4846 |

Popular Downloads

| | |
|-----------------------------------|------------------------------------|
| Data Sheet, Technical Information | 2CPC000001C0101 2CPC000002C0101 |
| Instructions and Manuals | 2CPC129993M5601 |

Classifications

| | |
|----------------------------|---|
| ETIM 7 | EC002286 - Distributor assembly Low Voltage HRC fuse systems |
| ETIM 8 | EC002286 - Distributor assembly Low Voltage HRC fuse systems |
| EPLAN Catalog Tree | Mechanics / Housing accessories, internal extension / General |
| WEEE Category | Product Not in WEEE Scope |
| CN8 | 85381000 |
| eClass | V11.0 : 27400619 |
| Object Classification Code | U |

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Interior Fittings → CombiLine N - Plastic Cover - Flatpack → NH Fuse Switch Disconnectors Unequipped

