

wyposażenie do 3KC0 wielk. 1 napęd bezpośredni DIN43880 szary bez pokrywy
do 3KC0 BG1 3 i 4-bieg. zawiera 1 szt.



Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Wyposażenie do przełącznika sieciowego
wykonanie produktu	Napęd bezpośredni DIN43880
wykonanie mechanizmu napędowego	NAPĘD RĘCZNY
stopień ochrony IP od przodu	IP30
Stosowność	
możliwość zastosowania	do 3KC MTSE, wielkość 1
Wygląd	
kolor napędu	szary
wykonanie wskaźnika dla wskazywania położenia łączeniowego	I-O-II
Konstrukcja mechaniczna	
wysokość	20,5 mm
szerokość	57 mm
głębokość	25 mm
Zezwolenia Certyfikaty	
General Product Approval	Test Certificates



[Confirmation](#)





[Miscellaneous](#)



[Type Test Certificates/Test Report](#)

Marine / Shipping	other	Environment
	Miscellaneous	Confirmation Environmental Confirmations

Więcej informacji
Informacje dotyczące opakowania Informacje dotyczące opakowania Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KC9101-4 Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/pl/ps/3KC9101-4 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KC9101-4 CAX-Online-Generator



Ostatnia zmiana:

28.09.2021 

