



Door-coupling rotary operating mechanism standard with tolerance compensation
 Size 100 x 100mm Shaft 8 x 8, 300mm, Test 0-I, Complete unit Handle size 100
 mm Accessory for 3KD size 3, 3KF size 2



Approvals Certificates

General Product Approval					Test Certificates
	 EG-Konf.	 UL	 VDE		Type Test Certificates/Test Report

Marine / Shipping	other	Environment	
	Miscellaneous	Confirmation	Environmental Confirmations

Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1141-2AF21>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/8UD1141-2AF21>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1141-2AF21
- CAX-Online-Generator
<http://www.siemens.com/cax>
- Tender specifications
<http://www.siemens.com/specifications>



last modified:

12/20/2020 

