



ściana tylna IP55, szer.: 400 mm

Wersja	
oznaczenie produktu	Ściana tylna
wykonanie powierzchni	powlekane proszkowo
wykonanie produktu kompatybilny elektromagnetycznie	Nie
Klasa ochrony	
Stopień ochrony IP	IP55
Wygląd	
kod barwy RAL	sonstige
kolor	RAL 7035
Szczegóły produktu	
element składowy produktu	
• wprowadzenie kabla	Nie
• zamek	Nie
Konstrukcja mechaniczna	
wysokość	2 000 mm
szerokość	400 mm
głębokość	25 mm
masa netto	10,8 kg
material	Blacha stalowa
Zezwolenia Certyfikaty	
General Product Approval	



[Miscellaneous](#)

[Confirmation](#)



[Miscellaneous](#)

General Product Approval	other	Environment			
	<a href="#">Confirmation</a>	<a href="#">Miscellaneous</a>	<a href="#">Environmental Confirmations</a>	<a href="#">Environmental Confirmations</a>	

### Więcej informacji

Informacje dotyczące opakowania  
[Informacje dotyczące opakowania](#)  
 Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>  
 Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ2420-4BA01>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ2420-4BA01>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8PQ2420-4BA01](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2420-4BA01)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

---

Ostatnia zmiana:

10.05.2023 

