

roof plate with cable entry IP40, W: 600 mm D: 800 mm



Model	
product brand name	SIVACON S4
product designation	top plate
design of the product	cable entry
design of the surface	zinc plated
design of the product EMC version	No

Protection class	
protection class IP	IP40

Suitability	
suitability for use for outside use	No

Appearance	
color	miscellaneous

Product details	
product component	
<ul style="list-style-type: none"> <li>• cable entry</li> <li>• ventilation</li> </ul>	<p>Yes</p> <p>No</p>

Mechanical Design	
height	25.5 mm
width	600 mm
depth	800 mm
net weight	8 kg
material	sheet-steel

**Approvals Certificates**

General Product Approval

[Miscellaneous](#)



[Confirmation](#)



[Miscellaneous](#)

General Product Approval	other	Environment
--------------------------	-------	-------------



[Miscellaneous](#)

[Confirmation](#)

[Environmental Confirmations](#)

[Environmental Confirmations](#)

**Further information**

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ2306-8BA03>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8PQ2306-8BA03>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8PQ2306-8BA03](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2306-8BA03)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

---

last modified:

9/1/2023 

