



frame W: 1000 mm D: 600 mm

Model	
product designation	frame
design of the product	standard version
design of the surface	zinc plated
design of the product EMC version	No
Protection class	
protection class IP	IP00
operating resource protection class	Safety class 1
operational current rated value	6 300 A
Suitability	
suitability for installation for metric dimensions	Yes
suitability for integration	No
• surface-mounted installation	No
• flush mounting	No
suitability for use for outside use	No
Product details	
product component	No
• ventilation door	No
product feature of the enclosure housing can be lined up	Yes
Number	
number of locking devices	0
number of doors	0
Mechanical Design	
height	2 000 mm
width	1 000 mm
depth	600 mm
fastening method	No
• 19-inch installation	No
• floor mounting	Yes
• wall mounting	No
material thickness of the plate	2.5 mm
net weight	33.5 kg
material	zinc-coated sheet steel
Approvals Certificates	
General Product Approval	



[Miscellaneous](#)

[Confirmation](#)



[Miscellaneous](#)

General Product Approval	other	Environment
--------------------------	-------	-------------



[Miscellaneous](#)

[Confirmation](#)

[Environmental Confirmations](#)

[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ1201-6BA02>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8PQ1201-6BA02>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ1201-6BA02

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

7/24/2023

