



rozbudowa nośnika 3WA pole sprzęgłowe głęb.: 600 mm

| Wersja                   |                     |
|--------------------------|---------------------|
| Nazwa markowa produktu   | SIVACON S4          |
| oznaczenie produktu      | Rozbudowa wspornika |
| wykonanie produktu       | 3WL pole łączeniowe |
| wykonanie powierzchni    | ocynkowany          |
| Konstrukcja mechaniczna  |                     |
| głębokość                | 600 mm              |
| grubość materiału blachy | 2,5 mm              |
| materiał                 | Stal                |

| Zezwolenia Certyfikaty   |  |
|--------------------------|--|
| General Product Approval |  |

[Miscellaneous](#)



EG-Konf.

[Confirmation](#)



VDE



| other | Environment |
|-------|-------------|
|-------|-------------|

[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ3000-3BA50>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ3000-3BA50>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8PQ3000-3BA50](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ3000-3BA50)

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



