

Pin busbar, 3-phase 10 mm², 58 MW, gray insulation can be cut for AFDD
5SM601.-2, pole center distance at least 150 mm



Model	
product brand name	SENTRON
product designation	Pin busbar
design of the product	3PH 10 mm ² , 58MW gray
General technical data	
phase number	3
cross-section	10 mm ²
Main circuit	
operational current rated value	63 A
Product details	
product feature insulated	Yes
Connections	
type of electrical connection	Pin
Mechanical Design	
width	14 mm
length	1 032.4 mm
Approvals Certificates	
General Product Approval	other

[Confirmation](#)




[Miscellaneous](#)



[Confirmation](#)

other	Environment
Miscellaneous	Environmental Confirmations

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3740-1
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/5ST3740-1
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3740-1



last modified:

7/9/2021 

