



Bell transformer, 14VA Primary 230-240 V AC, 50 Hz, secondary 8 V, 12V, 24V AC With PTC fuse, 2MW++

Model		
product brand name	SETRON	
product designation	Bell transformer	
design of the transformer	Standard bell transformer	
General technical data		
supplied active power maximum	14 W	
Voltage		
input voltage	230 V	
output voltage		
• _1 rated value	8 V	
• _2 rated value	12 V	
• _3 rated value	24 V	
Dissipation		
power loss [W] for rated value of the current at AC in hot operating state per pole	11 W	
Suitability		
suitability for integration		
• surface-mounted installation	No	
• flush mounting	No	
Product details		
product component switch	No	
Product function		
product function thermal protection	Yes	
Inputs Outputs		
property of the output short-circuit proof	Yes	
Mechanical Design		
height	64 mm	
width	36 mm	
length	90 mm	
number of modular width units	2	
fastening method side-by-side mounting	Yes	
Approvals Certificates		
General Product Approval	Declaration of Conformity	other

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

Environment

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=4AC3214-0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/4AC3214-0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=4AC3214-0

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

3/11/2021 