

cable clamping rail profile: C30 x 15 mm, D: 400 mm, 1 pack = 5 units



**Appearance**

color	grey
-------	------

**Mechanical Design**

height	30 mm
width	15 mm
depth	400 mm
fastening method 19-inch installation	No
material	metal

**Approvals Certificates**

**General Product Approval**

[Miscellaneous](#)

[Confirmation](#)



[Miscellaneous](#)

General Product Approval	other	Environment
--------------------------	-------	-------------



[Miscellaneous](#)

[Confirmation](#)

[Environmental Confirmations](#)

**Further information**

- Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ3000-0BA38>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/8PQ3000-0BA38>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8PQ3000-0BA38](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ3000-0BA38)
- CAX-Online-Generator  
<http://www.siemens.com/cax>
- Tender specifications  
<http://www.siemens.com/specifications>



---

last modified:

8/24/2023 